

Table of Contents

| 1 | Intro | oductio | n to Blockchain | 1 | |
|---|-------|--|--|----|--|
| | 1.1 | What i | s Blockchain and Why it is Important for Us | 1 | |
| | 1.2 | 1.2 Applications based on Blockchain Technology | | 3 | |
| | | 1.2.1 | Industry and Enterprise | 4 | |
| | | 1.2.2 | Financial Services | 5 | |
| | | 1.2.3 | Government Services | 7 | |
| | 1.3 | Blockc | hain Functionality | 7 | |
| | | 1.3.1 | Blockchain as Data Storage | 8 | |
| | | 1.3.2 | Blockchain as a Computational Infrastructure | 10 | |
| | 1.4 | 1.4 Blockchain and its Non-functional Properties | | 10 | |
| | | 1.4.1 | Non-functional Properties and Requirements | | |
| | | | of the Blockchain | 10 | |
| | | 1.4.2 | Non-functional Properties of the Blockchain | 11 | |
| | | | | | |

BLOCKCHAIN APPLICATIONS

| 1.5 1.6 | Blockchain Architecture Design 1.5.1 Software Architecture: Design and Analysis 1.5.2 Designing Blockchain-based Application Summary | | 12 12 12 14 |
|------------|---|-------------------------------------|----------------------|
| 1.7 | Referer | nces | 14 |
| Exist | ing Blo | ockchain Platforms | 16 |
| 2.1 | Bitcoin | | 16 |
| | 2.1.1 | Bitcoin Transactions | 18 |
| | 2.1.2 | • | 19 |
| | 2.1.3 | 0 | 19 |
| | - | Accounts and States | 20 |
| | - | Nakamoto Consensus | 21 |
| | 2.1.6 | 5 51 5 | 21 |
| | | Wallets | 22 |
| ~ ~ | 2.1.8 | 0 | 22 |
| 2.2 | Ethereu | | 22 |
| | 2.2.1 | Ethereum Transactions | 23 |
| | | Smart Contract | 23 |
| | - | Paying Fees in 'Gas' | 24 |
| | 2.2.4 | | 24 25 |
| 2.3 | - | edger Fabric | 25 25 |
| 2.3 | 2.3.1 | - | 25 26 |
| | - | Chaincode as the Smart Contract | 20 |
| | - | Nodes | 27 |
| | | Transactions | 27 |
| | | Consensus | 28 |
| 2.4 | | Representative Blockchain Platforms | 28 |
| 2.5 | - | • | 29 |
| Varie | eties of | Blockchains | 30 |
| 3.1 | Blockch | nain Fundamental Properties | 30 |
| 3.2 | Configuration of Block | | |
| 3.3 | Auxiliary Blockchains | | |
| 3.4 | Referer | ices | 39 42 |
| - | | | - |

Blockchain Applications

BLOCKCHAIN APPLICATIONS

viii

1.5

| Tak | Table of Contents | | |
|-----|---------------------|---|----------|
| 4 | Agr | icultural Supply Chain | 44 |
| | 4.1 | Introduction | 44 |
| | 4.2 | Conventional Technology | 45 |
| | | 4.2.1 The Methodology of Supply Chain | 45 |
| | | 4.2.2 The Blockchain Solution | 46 |
| | | 4.2.3 Discussion of Requirements and Properties | |
| | | Which are Non-functional | 47 |
| | 4.3 | Open Data Registry | 47 |
| | | 4.3.1 Conventional Technology | 48 |
| | | 4.3.2 The blockchain Solution | 49 |
| | | 4.3.3 Discussion of Requirements and Properties | |
| | | Which are Non-functional | 49 |
| | 4.4 | | 50 |
| | | 4.4.1 Conventional Methods | 51 |
| | | 4.4.2 Blockchain Method | 52 |
| | | 4.4.3 Discussion of Requirements and Properties Which are Non-functional | 52 |
| | | | 53 |
| | 4.5 | 4.5.1 Non-functional Requirements of the Key | 54 54 |
| | | 4.5.2 Conventional Technologies | 54 55 |
| | | 4.5.3 Blockchain Solution and Design | 55 |
| | | 4.5.4 Non-functional Properties | 56 |
| | 4.6 | • | 56 |
| 5 | • | ckchain in Software Architecture | 58 |
| J | | | |
| | 5.1 | Imtroduction | 58 |
| | 5.2 | Blockchain as an Architectural Element | 59 |
| | 5.3 | Blockchain as a Storage Element 5.3.1 Comparing with Centralized Databases | 60 61 |
| | | 5.3.1 Comparing with Centralized Databases5.3.2 Comparing with Peer-to-Peer Data Storage | 62 |
| | | 5.3.3 Comparing with Cloud Services | 62 |
| | | 5.3.4 Comparing with Replicated State Machines | 63 |
| | 5.4 | | 63 |
| | 5.5 | | 64 |
| | <i>J</i> . <i>J</i> | 5.5.1 Data Communication | 65 |
| | | 5.5.2 Computation Communication | 66 |
| | 5.6 | Blockchain as an Asset Management and Control | |
| | | Mechanism | 67 |
| | | | |

| 5.7 Integration of Blockchain into a System as a Componen5.8 Summary5.9 References | 70 70 |
|---|----------------------------|
| 6 Designing Process for Application on Blockchain | 72 |
| 6.1 Introduction6.2 Suitability Evaluation6.2.1 Multi-party | 72 73 73 |
| 6.2.2 Trustworthy Authority 6.2.3 Immutability of Data and Non-repudiation 6.2.4 Operation 6.2.5 High-level Performance | 74 75 76 76 |
| 6.2.6 Transparency 6.3 Examples for Suitability Evaluation 6.3.1 Example 1: Electronic Health Records (EHR) | 77 77 78 |
| 6.3.2 Example 2: Chain of Supply6.3.3 Example 3: Stock Market6.3.4 Example 4: Identity Management | 78 79 80 |
| 6.4 Design Process for Blockchain Systems 6.4.1 Trade-off Analysis 6.4.2 Decentralization 6.4.3 Off-chain Vs. On-chain Transactions | 80 81 82 83 |
| 6.5 Summary 6.6 References | 84 84 |
| 7 Patterns of Blockchain | 86 |
| 7.1 Introduction 7.2 Patterns on Interaction with the External World 7.2.1 Oracle 7.2.2 Reverse Oracle 7.2.3 Legal and Smart Contract | 86 87 87 89 90 |
| 7.3 Data Management Patterns 7.3.1 On-chain Data Encryption 7.3.2 Tokenization 7.3.3 Off-chain Data Storage 7.3.4 State Channel | 91 91 93 94 95 |
| 7.4 Security Patterns7.5 Multiple Authorization | 96 96 |

BLOCKCHAIN APPLICATIONS

x

| Tab | le of C | Contents | xi |
|-----|--|---|--|
| | 7.6 7.7 | 7.5.1 Off-chain Secret Dynamic Authorization Contract Structural Pattern 7.6.1 Registration of Contract 7.6.2 Data Contract 7.6.3 Embedded Permission 7.6.4 Execution of Incentive References | 97 98 98 99 99 99 100 |
| 8 | Mod | lel Driven Engineering for Blockchain Applications | 101 |
| | 8.1 8.2 8.3 8.4 8.5 | Introduction Model Driven Generation of Smart Contract Code for Collaborative Business Processes Model Driven Registry Generation for Blockchain Summary References | 101 103 109 114 115 |
| 9 | Cost | | 116 |
| | 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 | Introduction On-chain Data Cost Smart Contract Cost Cost Models Using and Evaluating the Cost Model Discussion Summary References | 116 117 119 120 126 130 131 131 |
| 10 | Perf | ormance | 133 |
| | 10.2 10.3 10.4 10.5 10.6 | Introduction Performance Characteristics of Blockchain Architectural Process Modeling Prediction of the Latency of Blockchain-Based Systems Architectural Decision Making Summary References | 133 133 136 136 143 147 148 |
| 11 | | kchain Applications and its Security and endability | 151 |
| | 11.1 | Confidentiality | 151 |

| | 11.3 11.4 11.5 11.6 11.7 | Safety Maintainability Blockchain Transaction Inclusion and its Variation Retrying and Aborting Transactions of Blockchain Summary | 153 154 156 157 159 161 162 163 |
|-----|--------------------------------------|---|---|
| 12 | Agril | Digital Case Study | 164 |
| | 12.3 12.4 12.5 12.6 | Supply Chains for Agriculture and its Blockchain Solution 12.1.1 Agricultural Supply Chains Worldwide 12.1.2 Agriculture and Blockchain Vision for AgriDigital Sector AgriDigital Vision's Pillars of Digital Trust 12.3.1 Blockchain Solution for AgriDigital Industry Business Use Case Designs Case Study: Pilot Components 12.5.1 Scenarios for Pilot 12.5.2 Decisions for Design Summary References | 164 165 166 167 169 170 172 172 172 173 176 |
| 13 | Bloc | kchain Voting | 178 |
| | 13.2 13.3 13.4 13.5 | Introduction The Minimum Viable Product (MVP) Prototype Construction of Tokenvote Details of the Secure Vote system Summary References | 178 180 183 186 189 190 |
| 14 | Bloc | chain Traceability | 192 |
| | 14.2 14.3 14.4 14.5 | Introduction OriginChain Architecture Analysis Discussion Summary References | 192 194 199 202 204 204 |
| Ind | ex | | 206 |